

MODEL	06DA/DX/DS	318	313	718	518	818	124	724	724	824	328
OLD MODEL NUMBER		6D44	6D45	6D47	6D48	6D48	6D62	6D63	6D67	6D68	NONE
NET OIL PRESSURE		12-22	12-22	12-22	12-22	12-22	12-22	12-22	12-22	12-22	12-22
CYLINDERS		4	4	4	4	4	6	6	6	6	6
BORE		2	1-13/16	2	2	2	2	2	2	2	2
STROKE		1-7/16	1-1/4	1-7/16	1-7/16	1-7/16	1-1/4	1-1/4	1-1/4	1-1/4	1-15/32
DISPLACEMENT CFM		18.3	13.1	18.3	18.3	18.3	23.9	23.9	23.9	23.9	28.0
OIL GRADE		150	150	150	150	150	150	150	150	150	150
OIL CHARGE	PINTS	7	5	7	7	7	10	10	10	10	10
NET WEIGHT		210	198	210	222	222	270	270	270	280	275
RATED TONS	R-12			4.9			LOW	6.1	6.1		
	C-500	5.7		5.7	5.7			7.1	7.1		
	R-22		4.9	MED		7.7		9.5	9.5	9.5	10.5
	R-502		MED			LOW					
MOTOR SIZE	HP	5	5	5	5-1/2	6-2/3	5	6-2/3	6-2/3	8	9
ELECTRICAL DATA											
200	LRA	95.0	95.0	95.0		137.0	95.0	137.0	137.0	170.0	191.0
	MAX RLA	21.5	21.5	21.5		39.0	21.5	39.0	39.0	39.3	55.2
	FUSETRON SIZE	30	30	30	SEE	60	30	60	60	70	80
230	LRA	86.0	86.0	85.0	NOTE	124.0	86.0	124.0	124.0	153.0	172.0
	MAX RLA	23.5	23.5	23.5		35.1	18.8	35.1	35.1	44.4	49.6
	FUSETRON SIZE	30	30	30		50	30	50	50	70	70
460	LRA	43.0	43.0	43.0		62.0	43.0	62.0	62.0	77.0	86.0
	MAX RLA	9.4	9.4	9.4		17.6	9.4	17.6	17.6	22.2	24.8
	FUSETRON SIZE	15	15	15		25	15	30	30	35	35

NOTE: Available in Single Phase Only. 230-1-60 LRA 148, FLA 36.8

MODEL	06DA/DX/DS	237	337	537
OLD MODEL NUMBER		6D72	6D73	6D75
NET OIL PRESSURE		12-22	12-22	12-22
CYLINDERS		6	6	6
BORE		2	2	2
STROKE		1-15/16	1-15/16	1-15/16
DISPLACEMENT CFM		37.1	37.1	37.1
OIL GRADE		150	150	150
OIL CHARGE	PINTS	10	10	10
NET WEIGHT		290	295	300
RATED TONS	R-12	LOW	9.4	
	C-500		11.4	
	R-22		MED	14.9
	R-502		LOW	MED
MOTOR SIZE	HP	8	9	12.5
ELECTRICAL DATA				
200	LRA	170.0	191.0	266.0
	-3- MAX RLA	39.3	55.2	71.2
	60 FUSETRON SIZE	70	80	100
230	LRA	153.0	172.0	240.0
	-3- MAX RLA	44.4	49.6	64
	60 FUSETRON SIZE	70	70	90
460	LRA	77.0	86.0	120.0
	-3- MAX RLA	22.2	24.8	32.0
	60 FUSETRON SIZE	35	35	40